



**PT DUNGGIO DRILLING
DRILLING CONTRACTOR**

Safety for us & Environment for the future

DRILLING PROJECT MANAGEMENT & RIG SERVICES



COMPANY PROFILE

Your Trusted Business Partner

TABLE OF CONTENT

Vission and Mission	1
DD Core Value	2
DD is your Trusted Business Partner	3
Company History & Milestone	4
Organization Chart	6
Healthy, Safety & Environment	8
Geological Mapping	9
LIDAR Topographic Mapping	10
Drilling Services	11
Rig & Machine Inventory List	12
Rig DDJC175 (Man Portable Rig)	13
Rig DDJC250	14
Rig DD-JC500	15
Rig Tractor Mounted DD-JC500	17
Rig DDLY38	18
Rig DDLY44	20
RIG UDR1600D (351 HP)	22
Geophysical Logging	24
Laboratory Services	25
Reporting Service	26
Company Experience	27
DD Drilling Projects	30
Support Equipment	31





VISION & MISSION

VISI

COMPANY VISION

PERUSAHAAN

PT. Dunggio Drilling bertekad menjadi simbol kontraktor pengeboran terbaik diregional

PT Dunggio Drilling determines to be the symbol of Excellence Drilling Contractor in Regional.



MISI

COMPANY MISSION

PERUSAHAAN

Memberikan jasa pengeboran yang berkualitas dan efisien dengan harga kompetitif, didukung teknologi mesin bor yang dimodifikasi dengan baik serta mengutamakan keselamatan dan keselamatan kerja pada setiap aktivitasnya.

Provide quality and efficient Drilling Service with Competitive Price, integrate with good modified drilling technology machine and also value health & Safety in all we do.

D2 CORE VALUE

- D** Develop Always develop mutually beneficial partnership with client, employee & Society
- U** Upholding High Health & Safety Standard Upholding high health & safety standard in all company operation
- N** New Technology Modification Always looking & deliver for new technology in innovative ways to meet client expenctation
- G** Growing Growing together with client, supplier, employee and society
- G** Good Good Core Recovery and Drilling result
- I** Integrity With interity, we value openness and honesty in all our operation activities
- O** On time On time in delivering project target timeline to client

Dunggio Drilling is Your Trusted Business Partner

DUNGGIO DRILLING was established in 2004 by Good Dunggio in the field of Drilling services to drill for Coal and Mineral. Currently expanding its business into Oil & Gas and Geothermal drilling services.

We provide Drilling Project Management and Rig Services focussing on client satisfaction with a diverse proven Land Drilling Rig Fleet managed by highly trained and experience staff, with an exceptional work safety record and high QHSE Standard.




COMPANY HISTORY & MILESTONE

Founded in 2004, Dunggio Drilling focus on Land Rig Drilling services for Coal & Mineral Drilling and currently expanding capabilities and services into Oil & Gas and Geothermal



ORGANIZATION CHART



Healthy, Safety & Environment

DUNGGIO DRILLING is committed to improve quality, safety and occupational health in accordance with Standard Integration of

- The International Quality Management ISO 9001:2015
- The International Occupational Health and Work Safety Standard Management ISO 45001:2018
- The International Environmental Management System ISO 14001:2015



ISO 9001: 2015



ISO 45001: 2018



ISO 14001:2018

The Company applied these QHSE International Standard with the aim to prevent things that are harmful to health, or injury to employees, and detrimental impact on the environmental pollution in the entire operation of PT Dunggio Drilling to exceed Customer expectation.

To achieve that goal, management and staff have a leadership function in the communication and implementation to ensure compliance with QHSE policies standards.

GEOLOGICAL MAPPING SERVICES

PT Dunggio Drilling provides professional Geological Mapping Services to support mineral exploration, geotechnical investigations, and mining projects. Our experienced geologists conduct systematic field mapping to identify lithology, geological structures, alteration zones, mineralization, and structural controls that are essential for accurate geological interpretation and exploration targeting.

Our services include:

- (1) Surface geological and lithological mapping**
- (2) Structural mapping (faults, joints, folds, and fractures)**
- (3) Alteration and mineralization mapping**
- (4) Outcrop and trench mapping**
- (5) Geological data collection using GPS and GIS**
- (6) Preparation of geological maps, cross-sections, and technical reports**

By integrating field observations with drilling and core logging data, PT Dunggio Drilling delivers reliable geological information that supports resource evaluation and informed mining decisions.



LIDAR TOPOGRAPHIC MAPPING SERVICES

PT Dunggio Drilling provides professional LiDAR Topographic Mapping Services to support mineral exploration, mining, infrastructure, and geotechnical projects. Using advanced drone-mounted LiDAR technology, we deliver high-accuracy terrain data for efficient planning and engineering applications.

Our services include:

- (1) High-resolution LiDAR topographic surveys**
- (2) Digital Terrain Model (DTM) & Digital Surface Model (DSM)**
- (3) Contour map generation**
- (4) Orthophoto and 3D terrain modeling**
- (5) Cut & fill volume calculations**
- (6) GIS-ready mapping and technical reporting**

Our LiDAR surveys provide accurate elevation data, even in densely vegetated areas, enabling reliable site analysis, exploration planning, mine design, and construction decision-making.



DRILLING SERVICES

Dunggio Drilling provides professional and reliable drilling services for various exploration and development requirements, supported by a range of drilling rigs and experienced personnel.

Our drilling services include:

- 1. Coal Drilling – Exploration and delineation drilling for coal resources.**
- 2. Coal Bed Methane (CBM) Drilling – Drilling services for CBM exploration and evaluation.**
- 3. Mineral Drilling – Exploration drilling, including core drilling for mineral resources.**
- 4. Geothermal Drilling – Coring services for geothermal exploration.**
- 5. Oil & Gas Drilling – Drilling services supporting oil and gas exploration activities.**
- 6. Water Well Drilling – Including man-portable drilling rigs capable of drilling up to approximately 100 meters, with manual moving capability supported by local crews.**

Our drilling fleet ranges from man-portable and compact rigs for remote and difficult-access locations to high-capacity drilling rigs capable of HQ coring to depths of up to 1,700 meters, providing flexible solutions for different geological conditions, terrain, and project requirements.

With the combination of appropriate drilling technology, experienced crews, and operational flexibility, Dunggio Drilling is committed to delivering safe, efficient, and high-quality drilling services.

Rig and Machine Inventory List

NO	RIG TYPE & MACHINE	QUANTITY	OUTPUT	MERK & TYPE	YEAR OF MANUFACTURE	CONDITION
1	UDR 1600D	1 Unit	351 hp	UDR	2012	Good
2	DDLY 44	3 units	110 hp	Longyear	2000	Good & Modified
3	DDLY 38	5 units	80 hp	Longyear	2000	Good & Modified
4	DDJC-250	4 unit	40 hp	Jacro	2012	Good
5	DDJC-500	5 unit	80 hp	Jacro	2012	Good
6	TRACTOR MOUNTED DRILLING RIG DDJC500	1 Unit	97 hp	Jacro	2016	Good
7	DDJC-175	11 Units	31 hp	Jacro	2010	Good
8	Track Mounted	2 units	110 hp	Hitachi	2000	Good
9	Forklift Patria	1 unit	100 hp	Komatsu	2020	Good
10	Tractor Kubota MX 5100D	1 unit	45 hp	Kubota	2010	Good
11	Tractor Kubota M 9540/R	1 unit	84 hp	Kubota	2012	Good
12	Tractor Kubota M30	2 units	40 hp	Kubota	2016	Good
13	Excavator	3 unit	150 hp	Komatsu	2012	Good
14	Substructure	4 unit	-	Steel	2015	Good

ALL THESE RIG AND SUPPORT EQUIPMENT ARE COMPLETELY OWNED 100% BY DUNGGIO DRILLING

SPECIFICATION DDJC175

A Man Portable Rig. This unit can drill up to PQ Coring 10meter, HQ Open Hole 120 meter (Single tube), HQ Coring up to 100meter (triple tube).

SYSTEM :

- **Full hyd. System**
- **Hyd. Top drive**
- **Skid Mounted with knock down assembly**
- **Pull up/Down by Chain RS80, driven by hyd. Motor.**



SPECIFICATION :

- **Driven by Vanguard petrol engine 31 hp**
- **Rotary speed 250 rpm up to 500 rpm**
- **Oil capacity 40 Liter of Hyd. Tank**
- **Complete Hyd. Hose with quick join coupling**



SPECIFICATION DDJC250

The standard type can drill up to PQ 60m, HQ 100m, NQ 150m and modified type can drill up to PQ 100m, HQ 150m, NQ 200m.



SPESIFICATION :

- 1) Non Winching, but Man Portable**
- 2) Rotary speed up to 600 rpm (low and high gear box)**
- 3) Dry Weight Engine (Exclude Prime) 250 kg.**


The heaviest part in this rig.

- 4) Oil capacity 100 Liter of Hyd. Tank**
- 5) Diesel Fuel Tank Capacity 30 liter**
- 6) Complete Hyd. Hose with quick Join Coupling**
- 7) FMC 535 Mud Pump, variable speed (No V-belt)**
- 8) Wireline system powered by Kubota 4-Cylinder:**
 - 40 HP / 3000 rpm (standard type) and**
 - 60 HP / 3000 rpm (modified).**

SPECIFICATION DDJC500

Wireline system powered by Kubota 4-Cylinder 97 HP (Turbo Charger)/ 2600 rpm.

*Standard Rig can drill up to PQ 150 meter, HQ 300 meter, NQ 450 meter, while *Modified Rig can drill up to PQ 250meter, HQ 400m and NQ 550m.

- 
- Driven by Kubota Diesel
 - Engine 97 hp (Turbo)
 - Non Winching, but Man Portable
 - Rotary Speed up to 900 Rpm (High/Low Transmission)
 - Dry Weight Engine (exclude prime) 350 kg. The heaviest Part in this rig
 - Oil Capacity 100 ltr of Hyd. Tank
 - Diesel Fuel Tank Capacity 50 Liter
 - Completed Hyd. Hose with quick join coupling

Systems :

- Full hyd. System
- Hyd. Top drive
- Skid Mounted

Dimension :

- Length x Width x Height : 3.40m x 1.50m x 165m (without mast)
- Weight : 2500kg

SPECIFICATION DDJC500

NO.	DETAILS	WEIGHT
1.	Engine Kubota V 3300	529 kg
2.	Chasis, Hyd. Hose , Control bank, Drum Wireline	795 kg
3.	Bottom Mast	734 kg
4.	Top Mast	175 kg
5.	Gear Box , Water swivel	144 kg
6.	Fuel Tank	70 kg
7.	Skid Base	238 kg
8.	Support Mast	47 kg
9.	Foot clamp	54 kg

1. UNIT POWER SUPPLY (NON ENGINE DIESEL)

- Hydraulic power by Gear pump 70 + 16 ltr/minute (for rotary, and for up/down) max pressure 3000 psi/210 bar
- Hydraulic oil tank : 80 Litre
- Diesel Fuel tank : 30 Litre

2. UNIT CONTROL DEVICE

- Hand control valve 3Bank 3/4" Monoblock Branded Integral by Italy HDM 20-3D/ d5 (for hydraulic Rotation, Hydraulic Winch and Hydraulic Wireline)
- Hand control Valve 5bank 1/2" Monoblock branded Integral by Italy HDM 18-50 1/2" (for hydraulic Up down, Hydraulic lift mash, Hydraulic sliding, hydraulic Jack Mash and Clamp Chuck Assy)
- Relief Valve : For adjustment pressure up/down RV2-1/2 max, pressure 3000 psi
- Regulator Valve : For adjustment pressure flow up/down integral FRV 2-1/2"
- Brake Valve : For adjustment brake winch and wireline, branded integral Italy CBV2-1/2" 0-3000 psi
- Pressure Gauge : By skon USA 0-250 psi

3. UNIT POWER DEVICE

ROTARY HEAD MOTOR DDJC500 5(RH 1/2") 4000 Series 109-1116-006 Eaton USA

- Speed Power : 0-1200 rpm
- Power Pressure : 0-3000 psi
- Speed Rotary : 700 -1500 rpm

UP/DOWN CYLINDER HYDRAULIC DDJC500 5CH Dia 85x100x50xStroke 1650mm

- Torsi Capacity : 915MM (66641 lb/in)
- Speed Power : 1000MM/10 Second
- In/out prot : 1/2" SAI O-ring

WIRELINE HYDRAULIC MOTOR DDJC550 5(RH 2/2) 2000 series 104-1228-0006 ETN USA

- Torsi Capacity : 452NMC (3961 lb/in)
- Speed Power : 0-250 Rpm
- In/out prot : 1/2" SAI O-ring

WINCH HYDRAULIC MOTOR DDJC500 5(RH 2/2) 4000 Series 109-1215-006 ETN. USA

- Torsi Capacity : 452NMC (3961 lb/in)
- Speed Power : 0-250 Rpm
- In/out prot : 1/2" SAI O-ring

TRACTOR MOUNTED DRILLING RIG

Tractor Mounted Drilling Rig DDJC500. This Rig is a Wireline system powered by Kubota 4-Cylinder 97 HP (Turbo Charger)/ 2600 rpm.

***Standard Rig can drill up to PQ 150 meter, HQ 300 meter, NQ 450 meter, while *Modified Rig can drill up to PQ 200 meter, HQ 350 meter, and NQ 500 Meter.**

- **Driven by Kubota Diesel Engine 97 hp (Turbo)**
- **Rotary Speed up to 900 Rpm (High/Low Transmission)**
- **Dry Weight Engine (exclude prime) 350 kg. The heaviest Part in this rig)**
- **Oil Capacity 100 ltr of Hyd. Tank**
- **Diesel Fuel Tank Capacity 50 Liter**
- **Completed Hyd. Hose with quick join coupling**

Systems :

- **Full hyd. System**
- **Hyd. Top drive**

Dimension :

- **Length x Width x Height : 3.40m x 1.50m x 165m (without mast)**
- **Weight : 2500 kg**



SPECIFICATION DDLY38



ENGINE	: Deutz 6L912 2500 Rpm 115 HP
GEAR BOX	: 1st Gear 300 - 400 Rpm 2nd Gear 500 - 600 Rpm 3rd Gear 700 - 800 Rpm 4th Gear 900 - 1000 Rpm
TRANSMISSION	: Low and High
CLUTCH	: 14" Clutch Assembly Manual Clutch Lever Set Up
TRANSMISSION TO CHEST	: Cross Joint
ELECTRICAL	: Electrical Start Panel with Warning Lights - Low Oil Pressure & High Temperature Gauges
WIRELINE	: Drive by Hydraulic Motor
DRILL HEAD CHUCK JAWS	: Hydraulic System
FOOT CLAMP JAWS (HYDRAULIC SYSTEM)	: Full Set of Foot Clamp Jaws NQ Tungsten Inserts HQ Tungsten Inserts PQ/HWC/HWT Tungsten Inserts

This unit is equipped with Hydraulic Rod Breaker.

SPECIFICATION DDLY38

Package all mounted on 5 meter x 2 meter Fully Plated Skid with Tow Points, platforms are around the rig and Save Guard in every turning parts.

DRILLING DEPTHS BASED ON CLEAN HOLE		STANDARD	MODIFIED
	NQ	400 Meter	650 Meter
	HQ	300 Meter	450 Meter
	PQ	130 Meter	250 Meter

MAIN PUMP : E.T.N. MEXICO PVE19AR
Deutz linked with Belt

MAIN VALVE BANK : Commercial 5 Level Valve Bank

MAST : Telescopic 10m
at the top of Mast equipped with Fall Arrester system

LIFT CYLINDER : Single Stroke

WIRELINE : Driven by Hydraulic Motor

WIRELINE SPOOL : Radial Made with 650 meter & 6mm Wire

HEAD OPENER : Hydraulic Head Opener

MUD MIXER : Operated by Hydraulic

FOOT CLAMP : Hydraulic operated from Main Valve Bank
Radial made Foot Clamps

HYDRAULIC TANK : 100 Liter Capacity

MUD PUM ENGINE : Yanmar TS230R, 2500 Rpm, 23 HP.

MUD PUMP : WII22 535 John Bean Mud Pump (FMC)
1000 PSI max Pressure with Relief Valve
Fitted 2" inlet, 160 ltr/minute

MAIN HOIST : Max Pull 10150 lbf
Rope 19mm, 25 Meter



SPECIFICATION DDLY44

The modular concept of this Rig permits the operator to select components for a system, which is specifically tailored to meet certain drilling requirements. The DDLY 44 has an important safety feature, namely an automatic pre-torque and breakout tool. The drill can be trailer mounted and skid mounted for vertical and angle drilling. The Modified DDLY 44 can drill up to 550m PQ size, 750 m HQ size, 1000 m NQ Size and 350m Open Hole of 8"-10" size for waterwell drilling (depend on the ground condition). This rig equipped with four speed transmission gear.



DIMENSION

Length x Width x Height : 4.11m x 2.65m x 1.62m (without mast)

Tower Height : 10m (550 kg)

Total Weight : 4650 kg

Mast : Telescopic

SPECIFICATION DDLY44

NO.	DETAILS	WEIGHT
1.	Main Engine Deutz Engine Modified 160 hp	600 kg
2.	Transmission	600 kg
3.	Gear Box	100 kg
4.	Head Assy	250 kg
5.	Chassis (Base)	450 kg
6.	Chassis (Upper) + Bracket Mast / Hyd.	300 kg
7.	Drum Wireline / Cable	125 kg
8.	Hyd. Pump + Control Valve	80 kg
9.	Fuel Tank / Hyd. Tank	70 kg
10.	Mast Bottom	160 kg
11.	Mast Middle	150 kg
12.	Mast Top	240 kg
13.	Hyd. Mast	110 kg
14.	Port Mast 2 Pcs Pipe + Mangky Mast (Total 9meter)	270 kg
15.	Injection pump, with output 37 GPM/minutes (FMC Pump), is driven by 23 hp Yanmar engine	350 kg

Main Engine :

Tipe Mesin : DEUTZ F6LQ12
RPM : 3000 RPM
HP : 115 HP
Number of Cylinder : 6
Starter System : Elektric Starter
Engine Oil Capacity : 11 liters (SAE 40)
Solar Tank Capacity : - + 50 Lt
Net weight : 600 Kg

Electrical

Battery : 12V / 100Ah
System : DC



UDR 1600D

The UDR range of exploration core drilling rigs consists of five different models, with N size drilling capacity ranging from 400 m to 2300 m in depth.

The Crawler Mounted UDR 1600D has been designed specifically for diamond coring in medium to deep drilling surface exploration application where site access limits the use of larger drills. The UDR 1600D's compact design combined with its self propelled crawler track drive system makes it an ideal choice for drilling operation in jungle or hilly terrain where the use of heavy truck is difficult.

European grade hydraulics has been utilised for optimum efficiency. This combined with its heavy duty mast, sub structure and high output diesel power pack ensures outstanding drilling performance and reliability.

Safety is recognised as a key priority at UDR. Our standard offering includes purpose designed rod safety spin guards, driller's and offside's work platform

The UDR 1600D can easily be transported in 40ft sea containers

UDR 1600D Features:

- Crawler Mounted design
- Cummins 6CTA diesel power plant - rated output @179KW (2,200 RPM)
- "P" Chuck drive rotation head
- Rotation Head - Max High Speed Rotation @1,200 RPM
- "P" chuck drive rotation head
- Rotation Head - Max high speed rotation @1200 RPM
- B, N, H and P size chuck and rod clamp jaws
- 3.5 metre feed stroke
- 9 metre rod pulling capability
- Rod Safety Spin Guards
- Engine protection auto shut down system
- Maximum depth rating of 2000 metres in N size

(NOTE: Core drilling depth capacity's based on straight vertical, clean drill holes. No allowance made to break core).



DATASHEET LDR1600D

Power Unit			Wireline winch		
Manufacturer	Cummins		Max pull, bare drum	11 kN	2470 lbf
Model	Cummins 6CTA8.3		Puling speed, bare drum	120 m / min	394 ft / min
Engine power @ 2200 RPM	269 kW	351 hp	Rope diameter / length	6.6 mm / 1500 m	0.26 in / 4920 ft
Diesel type	Turbo charged				
			Main Host		
Rotation head - P chuck drive, hydraulic open, spring close			Max pull, bare drum	135 kN	30 350 lbf
Feed force	50 kN	11 240 lbf	Puling speed, bare drum	40 m / min (low)	131 ft / min
Pull force	189 kN	42 490 lbf		80 m / min (high)	262 ft / min
Max torque	5500 Nm	4045 ft / lbf	Rope diameter / length	22 mm / 35 m	0.87 in / 115 ft
Max rotation, rpm	1200 rpm				
Feed stroke	3500 mm	138 in	Rod clamp		
Max inside diameter	117 mm	4.6 in	Jaw sizes	B. N. H. P	
Gear box	4 shifts				
Ratio:	Spindle speed, rpm		Water pump		
1st	138-190		Max flow	320 L / min	84.5 USgal / min
2nd	277-378		Max pressure	10 Mpa	1450 PSI
3rd	495-675				
4th	866-1200		Track		
			Track pad width	400 m	15.8 in
Hydraulic system			Max up hill angle	30°	
Working pressure	28 Mpa	4060 psi	Haul Capacity	100 kN	22 480 lbf
Cooling	Air cooled				
			Weight		
Mast			Total Weigt	11 000 kg	24 250 lb
2 sections, hydraulic powered life / down, with mast dump					
Length	13 m	39 ft	Shipping Dimension		
Drilling angle	45° to 90°		5250 x 2320 x 2600 mm	207 x 91.4 x 202 in	
Mast dump	1100 mm	43.3 in			
Rod pulling length	9 Meter	27 Feet	Depth capacity*		
			B	2200 m	7216 ft
			N	2000 m	6560 ft
			H	1500 m	4920 ft
			P	1000 m	3280 ft

(NOTE: Core Drilling depth capacity's based on straight, vertical, clean drill holes. No allowance made to break core).



GEOPHYSICAL LOGGING SERVICES

PT Dunggio Drilling provides professional Geophysical Logging Services to support mineral exploration, mining, geotechnical, and groundwater investigation projects. Our services provide detailed subsurface information by integrating geophysical measurements with geological and drilling data.

Our services include:

- * Downhole geophysical logging**
- * Gamma Ray (GR) logging**
- * Resistivity and conductivity logging**
- * Density and acoustic logging**
- * Caliper logging**
- * Magnetic susceptibility logging**
- * Borehole deviation and orientation surveys**
- * Data processing, interpretation, and technical reporting**

Geophysical logging helps identify and characterize lithological boundaries, geological structures, alteration zones, fractures, mineralized intervals, and borehole conditions that may not be fully captured through conventional core logging alone.



ROCK & GEOLOGICAL LABORATORY TESTING SERVICES

PT Dunggio Drilling provides professional Rock and Geological Laboratory Testing Services to support mineral exploration, mining, geotechnical, and engineering projects. Our testing services provide reliable laboratory data for evaluating the physical, mechanical, and geological characteristics of rock samples.

Our services include:

- * Rock sample preparation and testing**
- * Uniaxial Compressive Strength (UCS) testing**
- * Point Load Strength Index (PLSI) testing**
- * Brazilian Tensile Strength testing**
- * Rock density and specific gravity testing**
- * Porosity and water absorption testing**
- * Petrographic analysis**
- * Mineralogical and geological analysis**
- * Geochemical and elemental analysis**
- * Sample quality control and data verification**
- * Laboratory test reporting and data interpretation**

The laboratory results are integrated with geological mapping, core logging, geophysical logging, and drilling data to provide a comprehensive understanding of subsurface conditions.

Our testing services support geological interpretation, rock mass characterization, resource evaluation, mine planning, and engineering decision-making, with a strong focus on data accuracy, traceability, and quality assurance.

RESOURCES ESTIMATION & REPORTING SERVICES

PT Dunggio Drilling provides professional Mineral Resource Estimation and Reporting Services to support mineral exploration and mining projects. Our resource estimation work is conducted by qualified Competent Persons with relevant technical expertise and experience, in accordance with applicable reporting standards, including the JORC Code and Indonesian SNI standards, as required by the project.

Our services include:

- * Geological database compilation and validation**
- * Geological modelling and 3D geological interpretation**
- * Geological domain and mineralisation modelling**
- * Data validation and quality control/quality assurance (QA/QC)**
- * Grade estimation and statistical analysis**
- * Mineral Resource estimation and classification**
- * Review of exploration drilling and sampling data**
- * Preparation of geological sections, resource models, and supporting maps**
- * JORC-compliant and/or SNI-based Mineral Resource reporting**
- * Technical documentation and reporting by qualified Competent Person(s).**

We integrate drilling data, geological mapping, core logging, geochemical analysis, geophysical data, and laboratory test results to develop a robust geological and resource model.

Our approach is focused on data integrity, transparency, technical confidence, and compliance with applicable reporting standards, providing reliable information to support exploration decisions, mine planning, project evaluation, and investment considerations.

Company Experiences

NO	Work Tender Name Location	Project Name & Address Service User/Task Providers	No/Date Contract or Handover Date	Total Drilling Meters and Hole Size	Work Schedule	
					Start	Finish
1	2	3	4	5	6	7
1	Year 2026 Tin Drilling, Desa Paku Kec. Payung Kepulauan Bangka Selatan	Pekerjaan Jasa Pengeboran Coring (Bor Mekanik) 5.000 Meter untuk Eksplorasi Th. 2025 - PT Timah Tbk.	4000006841	5000 Meter HQ	6 Februari 2026	10 Agustus 2026
2	Year 2024 - 2025 Coal Drilling, East Kalimantan, Bontang	Underground Exploration Drilling 600 Meter PT Indominco Mandiri	No. 145/E-CTR/BTG/IMM/2024 1 Unit UDR1600D	2500 Meters 6", PQ, HQ	15-Oct-24	17-Mar-25
3	Year 2024 Soe and Surrounding Areas, East Nusa Tenggara (NTT)	Passive Seismic Tomography Drilling Geological Survey Center, Kementrian ESDM PST Drilling for Earthquake Measurement	08.1.BAHP/PSG/POKJIA6.KESDM/2024 5 (Lima) Unit Rig DDJC175	HQ	01-Aug-24	19-Sep-24
4	Year 2024 Lemang, Indagiri Hulu Regency, Riau Province	Coal Drilling Center for Mineral and Geothermal Resources, Kementrian ESDM 1. Geological Mapping 2. LIDAR Topographic Mapping 3. Coal Drilling 4. Geophysical Logging 5. Coal Laboratory Analysis 6. Data Processing & Estimation of Coal Resources	10/SPK/P2K-PSDMBP/BGD/2024 2 (Two) Unit Rig DDJC175	HQ	07-Jun-24	Dec-24
5	Year 2023 Mineral Exploration, Ratatotok, North Sulawesi	Gold Exploration Sumber Energi Jaya & Pama Persada Nusantara	JIEP/ENG-MD/23/016/KTK 7 (Seven) Rig	PQ, HQ, NQ	05-May-23	05-Sep-23
6	Year 2021-2023 Eksplorasi Coking Coal, Adaro Mining Indonesia	Coking Coal Miner Maruwai Coal & Lahai Coal (ADARO MET COAL)	01 6 (Six) Rig	PQ, HQ	07-Jun-21	30-Jun-23
7	Year 2021 Mineral Drilling, Bangka & Belitung Island	Tin Exploration Land Drilling Services (Mechanical Drilling) 10.000 Meters PT Timah	4000004853 6 (Six) Rig	PQ, HQ, NQ	16-Apr-21	14-Nov-21
8	Year 2019 Exploration, Tanjung Baru Village District North Penulak Pali Regency, South Sumatera	CBM (Coal Bed Methane) Drilling Ephindo Sekayu 2 Inc. Mosque 20D, South Kemang, East Cilandak, Jakarta, 12560	ES21/001-DD-19-CA 1 (One) Rig	1 Well 350 Mtr 8 1/2", 5.5", PQ, HQ	22-Jul-19	02-Sep-19
9	Year 2018-2019 Coking Coal Drilling Regency : Murung Raya, Central Kalimantan	Drilling Services 4 Contracts : ADARO METCOAL : (1) Maruwai Coal - Finish November 2018 (2) Juloi Coal (3) Central Kalimantan Coal (4) Sumber Barito Coal (Moving to Kalimantan)	B08-PC0618-000000288-1	PQ, HQ	13-Feb-18	20-Oct-19
10	Year 2017-2018 Slim Hole Drilling, Banyuasin Regency, Palembang, South Sumatera	Oil & Gas Exploration Iiran High Field Test Study - Hole Drilling Services PT Medco E&P Rimau (2nd & 3rd Phase) - DIRCET	3510005687 (ex BF11388)	PQ, HQ, NQ and BQ	30-Nov-17	30-Nov-18
11	Year 2016 - 2017 Slim Hole Drilling, Banyuasin Regency, Palembang, South Sumatera	Oil & Gas Exploration Iiran High Field Test Study - Hole Drilling Services PT Medco E&P Rimau (1st Phase) - TENDER	3510005327 (ex FP335692)	6" and PQ	26-Sep-16	25-Sep-17
12	Year 2017-2018 Coal Bed Methane (CBM) Drilling, Rengat, Riau Province	Provision of Mobile CBM Rig and Associated Services for Rengat Field - Indon CBM Pty Ltd.	L-038/ICL-CGM/XI/2017 1 (One Rig)	2 Well 235 Mtrs 10", 7", 5", PQ, HQ	10-Nov-17	21-Nov-17

Company Experiences

NO	Tahun Nama Paket Pekerjaan *) Lokasi Propinsi	Nama Proyek & Alamat Pengguna Jasa/Pemberi Tugas	No/Tanggal Kontrak atau B.A/Tgl. Serah terima	Total Meter Pemboran dan Ukuran Lubang Hole	Waktu Pelaksanaan Pekerjaan	
					Mulai	Selesai
1	2	3	4	5	6	7
13	Tahun 2011 Pemboran Coal Bed Methane (CBM). Samarinda, Kalimantan Tengah	CBM (Coal Bed Methane) Exploration Pemboran Coring 1 Sumur di Cekungan Kutei PPTMGB	01.SPPJ/01.04/BLM P2K.1 PKL 2011 1 (Satu) Rig	2 Sumur 750 Mtr PQ, HQ, NQ	03-Nov-11	29-Dec-11
14	Tahun 2013 Pemboran Uranium, Pontianak, Kalimantan Barat	Pemboran Inti Sumberdaya Uranium BATAN (Badan Tenaga Atom Nasional)	570/PL0001/PGN/2013	PQ, HQ	18-Jul-13	01-Aug-13
15	Tahun 2012-2013 Pemboran Coking Coal, Juloi, Kalimantan Tengah	Coking Coal Core Drilling BHP Billiton (PT. Juloi Coal)	25629-000-GSC-PTBI- 6 (Enam) Rig	Barrel 6" dan Core 6", PQ, HQ	01-Mar-12	28-Dec-13
16	Tahun 2015 Pengeboran Mineral, Kab. Bangka Belitung	Energi Sumber Daya Mineral, ESDM Bandung, Pengeboran Logam Timah Primer di Daerah Parit Tebu, Kec. Gantung, Kab. Banoka Belitung Timur, Prov.	22/SPK/P2K/PSDG/BGD/2 6 (Enam) Rig	PQ, HQ	27-Jul-2015	31-Aug-2015
17	Tahun 2015 Pemboran Mineral Logam, Kab. Solok Selatan, Sumatera Barat	Energi Sumber Daya Mineral, ESDM Bandung, Pengeboran Mineral Logam di Daerah Ulu Suliti-Tanjung Limau Kapeh Kec. Koto Parik Gadang Diatah	23/SPK/P2K/PSDG/BGD/2 5 (Lima) Rig	PQ, HQ	27-Jul-2015	30-Aug-2015
18	Tahun 2013-2014 Pemboran Emas, Pulau Bacan, Halmahera Selatan	Pengadaan Rig Longyear 38 dan Pengeboran Mineral Emas di Pulau Bacan-Halmahera Selatan, PT. Bukit Fajar Mandiri (Kerjasama dengan Pemerintah)	001/D2-LGU/HMR/IV-2013 5 (Lima) Rig	PQ, HQ, NQ	23-Apr-2013	19-Feb-2014
19	Tahun 2011-2013 Pemboran Batubara, Kab. Muara Teweh, Kalimantan Tengah	Pengeboran Batubara PT. Tamtama Perkasa (Barito Group)	085/TP/HK6/X/2011 5 (Lima) Rig	PQ, HQ, NQ	28-Sep-2011	26-Mar-2013
20	Tahun 2010 - 2012	Pengeboran Batubara PT Masindo Artha Resources	01	HQ	27-Dec-2010	30-Nov-2012
21	Tahun 2012 Tanah Grogot, Paser, Kaltim	Pengeboran Batubara Aqunori Radja Djaya	052/D2-JD/PRS-CMI/IV-2012	HQ	29-Jun-2012	12-Sep-2012
22	Tahun 2011 Desa Muara Kilis, Jambi	Pengeboran Batubara Asia Multi Investama	003/AMI/PKS/03/2011	HQ	2-Mar-2011	28-Jul-2011
23	Tahun 2010-2012 Pemboran Batubara, Kab. Musi Banyuasi Prov. Sumatera Selatan	Pengeboran Batubara (Open Hole & Coring) PT. Bumi Semesta Lestari di Kec. Bayunglincir dan Kec. BatanghariLeko, Kab. Musi Banyuasi Prov. Sumatera Selatan	BSL0410	PQ, HQ, NQ	2-Jun-2010	31-Jul-2012
24	Tahun 2010-2012 Pemboran Batubara, Kalimantan Tengah	Pengeboran Bahan Galian Batu Bara PT. Titan Mining Indonesia	024/PKS/TMI-DD/X/10	PQ, HQ, NQ	28-Oct-2010	31-Jan-2012
25	Tahun 2009 Pemboran Batubara, Kab. Paser, Kalimantan Timur	Pengeboran Batubara (Open Hole & Coring) PT. Batubara Selaras Sapta di Tanah Grogot, Kab. Paser, Kalimantan Timur	1	PQ, HQ, NQ	30-Apr-2009	31-Jul-2009

Company Experiences

NO	Tahun Nama Paket Pekerjaan *) Lokasi Propinsi	Nama Proyek & Alamat Penerima Jasa/Pemberi Tugas	No/Tanggal Kontrak atau B.A/Tgl. Serah terima	Total Meter Pemboran dan Ukuran Lubang Hole	Waktu Pelaksanaan Pekerjaan	
					Mulai	Selesai
1	2	3	4	5	6	7
26	Tahun 2008 Pemboran Batubara, Kab. Muara Lahung, Kalimantan Tengah	Pengeboran Batubara (Open Hole & Coring) PT. Jembayan Muarabaya di Muara Lahung.	JMB/CON-01/DUNGGIO/II/08	PQ, HQ, NQ	15-Feb-2008	14-Aug-2008
27	Tahun 2014 Pemboran Batubara, Kab. Sarolangun, Jambi	Jasa Pekerjaan Pengeboran di Wilayah IUP PT. Bangun Persada Jambi Energi di Daerah Sarolangun, Jambi & Jasa Pekerjaan Pengeboran sesuai kaidah JORC di wilayah IUP PT Mahakarya Abadi Prima Kab.	013/PJ/DIRPLNBB/2014 & 007/BAN-DD/2014	PQ, HQ, NQ	11-Feb-2014	30-May-2014
28	Tahun 2012-2015 Pengeboran Emas	Pekerjaan Pengeboran Diamond untuk Proyek Bakau, PT J Resource Bolaang Mondondow	288	PQ, HQ, NQ	3-Dec-2012	5 Juni 2015
29	Tahun 2009-2011 Pemboran Batubara, Kalimantan Tengah	Pengeboran Batubara (Open Hole & Coring) PT. Daya Bumindo Karunia (Barito Group) di	DBK01	PQ, HQ, NQ	2-Mar-2009	27-Dec-2011
30	Tahun 2010 Pemboran Batubara, Aceh	Pengeboran Batubara (Open Hole & Coring) PT. Bhoruka Power di Subulussalam, Aceh	BP01	PQ, HQ, NQ	8-Jan-2010	7-Mar-2010
31	Tahun 2007-2008 Pemboran Batubara & Water Well, Kalimantan Tengah	Drilling Contract Works Services at PT Arutmin Indonesia	BPN/07/C01	PQ, HQ, NQ	22-May-2007	2-Feb-2008
32	Tahun 2007-2008 Pemboran Batubara, Kab. Murung Raya, Kalimantan Tengah	Pemboran Eksplorasi Batubara wilayah PKP2B PT Marunda Graha Mineral Kecamatan Laung Tuhup Kabupaten Murung Raya	062/PJ-BOR/MGM-DD/IX-07	PQ, HQ, NQ	25-Sep-2007	3-Mar-2008
33	Tahun 2006-2008 Pemboran Coking Coal & Water Well, Kalimantan Tengah	Drilling Contract between BHP Billiton - PT Kalteng Coal Dunggio Drilling (Open Hole & Coring)	0665-C-0001	Barrel 8" dan Core 6", PQ, HQ	3-Aug-2006	7-Mar-2008
34	Tahun 2005 - 2007 Pemboran Coking Coal & Water Well, Lahal, Kalimantan Tengah	Drilling Contract between BHP Billiton - PT Lahal Coal and PT Dunggio Drilling (Open Hole & Coring)	M-01.05.01.07.04-D-7083LIM	Barrel 8" dan Core 6", PQ, HQ	28-Jul-2005	21-Feb-2007
35	Tahun 2005-2006 Pemboran Coking Coal & Water Well, Kalimantan Tengah	Drilling Contract between BHP Billiton - PT Maruwai Coal Dunggio Drilling (Open Hole & Coring)	PTMC/DRILL001/03/05	Barrel 8" dan Core 6", PQ, HQ	6-Mar-2005	17-Jan-2006



DD DRILLING PROJECTS



**MEDCO ENERGY
OIL DRILLING**



**ADARO METCOAL
MOVING RIG BY CHOPPER**



**EPHINDO
CBM DRILLING**



**ADARO METCOAL
COAL DRILLING**



**LEMIGAS
CBM DRILLING**



**BHP BILLITON
ACCESS PREPARATION**



**BHP BILLITON
REHABILITATION**



**BFM - KOREAN GOVERNMENT
GOLD DRILLING**



**TIMAH TBK.
TIN DRILLING**



**INDON CBM PTY LTD.
CBM DRILLING**



**BHP BILLITON
MOVING RIG BY CHOPPER**



**ARUTMIN INDONESIA
COAL DRILLING**

SUPPORT EQUIPMENT



**4 UNITS TRACTOR TRUCK TO
SUPPORT MOVING ACTIVITIES**



1 UNIT TRACK MOUNTED



1 UNIT CRANE TRUCK



1 UNIT MITSUBISHI CABIN



1 UNIT 4X4 PAJERO WAGON



1 UNIT SUBSTRUCTURE



BACK UP SPAREPARTS



FORKCLIFT



EXCAVATOR

**More updates
please to keep
an eye on our
social media
@dunggiodrilling**



**Drilling Contractor
Services**

COAL - MINERAL - OIL & GAS - GEOTHERMAL - WATERWELL - BLASTHOLE DRILLING

**PT DUNGGIO DRILLING, JL. Industri Selatan 6 Blok GG 9A, Jababeka II, Industrial Estate, Cikarang Selatan, Bekasi 17550
Ph. 021 - 89841343, Fax 021 - 89841342, email: info@dunggiodrilling.com, Website: www.dunggiodrilling.com**